

H.265 4MP_5MP					H.264 8MP		
Model	CAM6082QIR(W,POE)	CAM6088EIR(W,PoE)	CAM6092PIR(W,PoE)	CAM6084QIR-POE	CAM6083QIR-POE	CAM6563UIR-PoE	CAM6562UIR-(W,PoE)
Product Picture							
2-Way Audio	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lens	2.8~12mm	3~10.5mm	2.8~12mm	2.8~12mm	2.8~12mm	3~10.5mm	3~10.5mm
Day/Night	IR-30M	IR-30M	IR-30M	IR-20M	IR-20M	IR-20M	IR-25M
Max Resolution	2592x1520 @ 30FPS	2592x1944 @ 30FPS	2592x1520 @ 30FPS 1920x1080 @ 30FPS	2592x1520 @ 30FPS	2592x1520 @ 30FPS	3840x2160 @ 15FPS	3840x2160 @ 15FPS
I / O	Yes	Yes	Yes	Yes	Yes	Yes	Yes
IP66 / IK10	IP66	IP66	IP66	N	IP66	IP66 / IK10	IP66

H.264-5MP										
Model	CAM2082EIR	CAM2088EIR-POE	CAM6588EIR(W,POE)	CAM6831EICR(W,PoE)	CAM6837EIR-PoE	CAM6887EIR-POE	CAM2083EIR-PoE	CAM2085EIR	CAM6833EIR-POE	CAM6834EIR-POE
Product Picture										
2-Way Audio	N	N	Yes	Yes	Yes	Yes	N	N	Yes	Yes
Lens	2.8 / 3.6 mm	2.8~12mm	3~10.5mm,	3.6mm, F1.8	7~ 50 mm	3~10.5mm	2.8~12mm	2.8mm	3 ~10.5 mm	3 ~10.5 mm
Day/Night	IR-40M	IR-35M	IR-30M	ICR	IR-80M	IR-35M	IR-15M	IR-15M	IR-15M	IR-15M
Max Resolution	2560x1920 @ 10FPS 1920x1080 @ 25FPS 1280x1024 @ 30FPS	2560x1920 @ 10FPS 1920x1080 @ 25FPS 1280x1024 @ 30FPS	2592x1944 @ 30FPS	2592x1944 @ 15FPS	2592x1944 @ 15FPS	2592x1944 @ 15FPS	2560x1920 @ 10FPS 1280x1024 @ 30FPS 1920x1080 @ 25FPS	2560x1920 @ 10FPS 1920x1080 @ 25FPS 1280x1024 @ 30FPS	2592x1944 @ 15FPS	2592x1944 @ 15FPS
I / O	Yes	Yes	Yes	Yes	Yes	Yes	RJ-45 Ethernet x 1 DC Jack x1	RJ-45 Ethernet x 1 DC Jack x1	Yes	Yes
IP66 / IK10	IP66	IP66	IP66	N	IP66	IP66	IP66	IP66	N	N

H.264 4MP						H.264 3MP		H.264 5MP		
Model	CAM6592QIR-POE	CAM6595QIR-POE	CAM6585QIR-POE	CAM6593QIR-POE	CAM6583QIR-POE	CAM6584QIR-POE)	ANS810TIR	ANS833TIR	CAM6885EIR-PoE	CAM6885EV-PoE
Product Picture										
2-Way Audio	Yes	Yes	N	N	Yes	Yes	Yes	Yes	Yes	Yes
Lens	2.8~12mm	4.2X 2.8~12mm	3.6mm	3.6mm	2.8~12mm	2.8~12mm	10X 5.1~51mm	33X 4.5~148.5mm	2.8mm	1.19mm Fish Eye
Day/Night	IR-30M	IR-30M	IR-20M	IR-15M	IR-20M	IR-20M	IR-40M	IR-180M	IR-15M	N
Max Resolution	2688x1520 @ 30FPS	2688x1520 @ 30FPS	2688x1520 @ 30FPS	2688x1520 @ 30FPS	2688x1520 @ 30FPS	2688x1520 @ 30FPS	2048x1536 @ 30FPS	2048x1536 @ 30fps	2592x1944 @ 15FPS	2592x1944 @ 15FPS
I / O	Yes	Yes	N	N	Yes	Yes	Yes	Yes	Yes	Yes
IP66 / IK10	IP66	IP66	IP66	IP66 / IK10	IP66 / IK10	IP66	IP66	IP66	IP66 & IK10	IP66 & IK10



H.264 2MP

Model	CAM627M-2M(W,POE)	CAM668FIR-POE	CAM2022FIR-POE	CAM3022FIR-POE	CAM6627FIR-POE	CAM6670FIR(W,POE)	CAM6725FIR(W,POE)	CAM6728FIR-POE	CAM6752FIR-POE	CAM6759FIR-POE
Product Picture										
2-Way Audio	N	Yes	N	Yes	Yes	Yes	N	Yes	N	N
Lens	10 ~ 40 mm	3.3 ~ 12 mm	3.6 mm	10X 4.9~ 49mm	2.8~12mm	7~22 mm	2.8mm	2.8mm	4.2X 2.8~12mm	2.8mm
Day/Night	IR-80M	IR-20M	IR-40M	IR-20~25M	IR-50M	IR-70M	IR-20M	IR-5M	IR-25M	IR-20M
Max Resolution	1600x1200@15FPS 1280x720@30FPS	1920x1080@30FPS	1920x1080@25FPS 1280x1024 @30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS
I / O	Yes	Yes	Yes	Yes	Yes	Yes	N	Yes	N	N
IP66 / IK10	N	IP66	IP66	IP66	IP66	IP66	IP66	N	IP66	IP66

H.264 2MP

Model	CAM6671FIR(W,POE)	CAM6742 FIR(W,POE)	CAM6922FIR-POE	CAM6932FIR-POE	CAM6631FICR-POE	CAM6921FICR-POE	CAM3023FIR-POE	CAM6630FICR-POE-A/B	CAM6640FICR-POE-A/B	CAM6723FIR-POE
Product Picture										
2-Way Audio	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lens	10 ~ 40 mm	2.8~12mm	2.8~12mm	2.8~12mm	4.2mm	4.0mm	3~9mm	F1.6~2.8,20X	F1.6~4.7,30X	3~10.5mm
Day/Night	IR-80M	IR-25M	IR-35M	IR-35M	ICR	ICR	IR-20M	ICR	ICR	IR-15M
Max Resolution	1920x1080@30FPS	1920x1080@30FPS	1920x1080@60FPS SONY Exmore	1920x1080@30FPS SONY Exmore	1920x1080@30FPS	1920x1080@60FPS SONY Exmore	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS PS
I / O	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
IP66 / IK10	IP66	IP66	IP66	IP66	N	N	N	IP66 / IK10	IP66	IP66 / IK10

H.264 2MP

Model	CAM6724FIR-POE	CAM6729FIR-(W,PoE)	CAM6733F-POE	CAM6734FIR-POE	CAM6735FIR-POE	CAM6739FIR-POE	CAM6753FIR-POE	CAM6923FIR-PoE	CAM6748F-POE	CAM6749F-POE
Product Picture										
2-Way Audio	Yes	Yes	Yes	N	Yes	Yes	Yes	Yes	Yes	Yes
Lens	3~10.5mm	2.8mm	2.8mm	2.8mm	2.8mm	3-10.5mm	4.2X 2.8~12mm	3~10.5mm	3.6mm	4.3mm
Day/Night	IR-15M	N	N	IR-15M	IR-15M	IR-15M	IR-15M	IR-20M	N	N
Max Resolution	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@30FPS	1920x1080@60FPS SONY Exmore	1920x1080 @30FPS	1920x1080 @30FPS
I / O	Yes	Yes	N	N	Yes	Yes	Yes	Yes	Yes	Yes
IP66 / IK10	N	N	IK10	N	IP66 / IK10	N	IP66 / IK10	IP66 / IK10	IP66	N



H.264 1MP

Model	CAM6712HIR-POE	CAM6704HIR-POE	CAM6709HIR-POE	CAM6713H-POE	CAM6714HIR-POE
Product Picture					
2-Way Audio	N	N	Yes	N	Yes
Lens	2.8mm	2.8mm	2.8mm	2.8mm	2.8-12mm
Day/Night	IR-20M	IR-15M	IR-5M	N	IR-15M
Max Resolution	1280x800@30FPS	1280x800@30FPS	1280x800@30FPS	1280x800@30FPS	1280x800@30FPS
I / O	N	N	Yes	N	Yes
IP66 / IK10	IP66	N	N	IK10	N

H.264-Server Type NVR

H.264-Windows NVR

Model	ALS-8N-X	ALS-16N-S	ALS-24N-S	NVR7000-16,25,36,49	NVR7000-64	NVR7000-RAID
Product Picture						
Description	Intel i7 Hot Swap Redundant Power	Intel Xeon E3 Hot Swap Redundant Power	Intel Xeon E3 Hot Swap Redundant Power	16-49CH Intel i5	64CH Intel i7	16C-64CH Intel i7
Storage	Up to 48TB 3.5"SATA III HDD x 8	Up to 64TB 3.5" SATA III HDD x 16	Up to 96TB 3.5" SATA III HDD x 24	Up to 60TB (Option: up to HDD x 10, include system HDD x 1)	Up to 60TB (Option: up to HDD x 10, include system HDD x 1)	Up to 60TB (Option: up to HDD x 10, include system HDD x 1) RAID 5: Up to 42TB JBOD: Up to 48TB
Raid	0,1,5,6	0, 1, 10, 50 JBOD	0, 1, 10, 50 JBOD	N	N	0, 1, 5, 10, 50, JBOD

H.264-Linux NVR

H.265-Linux NVR

Model	NVR6204/09/16M(P)	NVR6004LX	NVR6304/09/16L(P)	NVR8008/16/24L	NVR616/25/36LX-RAID	NVR6516/6525/6536L(P)
Product Picture						
Description	4/9/16CH P2P (Optional)	4CH	4/9/16CH P2P (Optional)	8/16/24CH	16/25/36CH 8 in / 1 out	16/25/36CH P2P (Optional)
Storage	Up to 8TB Internal Storage : SATA HDD x 1, (up to 8TB total) External Storage : USB Backup Disk	Up to 6TB Internal HDD : SATA HDDx 2	Up to 18TB Internal Storage : SATA HDD x 3 External Storage : Local USB, Remote browser, Samba, FTP, Google drive, Dropbox	Up to 12TB Internal Storage : SATA HDD x 2 External Storage : USB Disk	Up to 64TB Internal Storage: RAID Controller 1: SATA HDD x 4 RAID Controller 2: SATA HDD x 5 Mode: None-RAID, Up to 54TB total RAID-1, up to 24TB total RAID-5, up to 42TB total External Storage: eSATA HDD x1, USB Backup Disk	Internal Storage: SATA HDD x 8 External Storage: Local USB2.0x3, eSATAx2
Raid	N	N	N	N	RAID-1,RAID-5 (Optional)	RAID-1,RAID-5 (Optional)

<http://www.a-soni.com>

E-mail: marketing@a-soni.com

